

L Number	Hits	Search Text	DB	Time stamp
1	50	429/26 and start near3 fuel near cell and ambient near3 (temperature sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 13:18
2	0	429/26 and start near3 fuel near cell and measure near3 ambient near3 (temperature sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 13:18
3	3	start near3 fuel near cell and measure near3 ambient near3 (temperature sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 13:21
4	32	measure near3 temperature near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 14:01
5	0	ambient near3 temperature near3 snesor and fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 14:03
6	102	ambient near3 temperature near3 sensor and fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 14:03
-	6	(("6,068,941") or ("6,103,410") or ("4,473,622")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 19:09
-	3	(("6,068,941") or ("6,103,410") or ("4,473,622")).PN.	USPAT	2004/03/02 08:29
-	1	"5879826".PN.	USPAT	2004/03/02 08:28
-	1	"5503944".PN.	USPAT	2004/03/02 08:28
-	1	"5573866".PN.	USPAT	2004/03/02 08:28
-	1	"5796186".PN.	USPAT	2004/03/02 08:28
-	1	"1517526".PN.	USPAT	2004/03/02 08:29
-	1	"2246684".PN.	USPAT	2004/03/02 08:29
-	1	"4206032".PN.	USPAT	2004/03/02 08:29
-	88	cold near3 start near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:36
-	23	cold near3 start near3 fuel near cell and hydrogen and heat near exchanger and (compressor pump)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:37
-	18	cold near3 start near3 fuel near cell and hydrogen and heat near exchanger and (compressor pump) and valve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:38
-	5	saloka.in. and adams.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:40
-	131	(saloka.in. adams.in.) and ford.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:58

-	2	US-6068941-\$.DID.ORUS-6103410-\$.DID.ORUS-4473622-\$.DID.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:09
-	0	("US-6068941-\$.DID.ORUS-6103410-\$.DID.ORUS-4473622-\$.DID.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:09
-	0	US-60689416103410-\$.DID.ORUS-4473622-\$.DID.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:10
-	57	"6068941" "6103410" "4473622"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:10
-	6	((("6068941") or ("6103410") or ("4473622")).PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:10
-	168	air near compressor and conduit and compress\$5 and fuel near cell and heat near2 exchang\$4 and air and hydrogen	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:37
-	11	air near compressor and conduit and compress\$5 and fuel near cell and heat near2 exchang\$4 and air and hydrogen and cold near3 start	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/30 19:38
-	2	("6365289").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 08:52
-	25	(preheat cold near start) near4 fuel near cell and bypass	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 08:53
-	186	(preheat cold near start) near4 fuel near cell	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:29
-	1	"4820594".PN.	USPÄT	2004/05/06 11:17
-	1	"5043232".PN.	USPAT	2004/05/06 11:17
-	1	"5314761".PN.	USPAT	2004/05/06 11:18
-	1	"5335628".PN.	USPAT	2004/05/06 11:18
-	1	"5335628".PN.	USPAT	2004/05/06 11:19
-	1	"5340663".PN.	USPAT	2004/05/06 11:19
-	1	"5401589".PN.	USPAT	2004/05/06 11:20
-	232	(preheat cold near start) and fuel near cell and bypass	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/01 15:12
-	57	(preheat cold near start) with fuel near cell and bypass	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 11:30
-	248	heat near exchanger and fuel near cell and compressor and bypass and (cold near start hydrogen fuel)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 16:04

-	146	heat near exchanger and fuel near cell and compressor and bypass with valve and (cold near start hydrogen fuel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:36
-	67	heat near exchanger and fuel near cell and compressor and bypass with valve and (cold near start hydrogen fuel) AND 429/.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:58
-	0	(saloka.in. adams.in.) and ford.as. AND FUEL NEAR CEALL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:13
-	8	((("6311650") or ("3976506") or ("5366821") or ("6607854") or ("20020039672") or ("20020055025") or ("20030072984") or ("20020009623")).PN.	USPAT; US-PGPUB	2004/05/07 14:03
-	66	"6311650" "3976506" "5366821" "6607854" "20020039672" "20020055025" "20030072984" "20020009623" and (heat near3 exchanger fuel near cell bypass valve compress\$4)	USPAT; US-PGPUB	2004/05/07 14:06
-	66	("6311650" "3976506" "5366821" "6607854" "20020039672" "20020055025" "20030072984" "20020009623") and (heat near3 exchanger fuel near cell bypass valve compress\$4)	USPAT; US-PGPUB	2004/05/07 14:09
-	23	("6311650" "3976506" "5366821" "6607854" "20020039672" "20020055025" "20030072984" "20020009623") and (heat near3 exchanger and fuel near cell and (bypass valve) and compress\$4)	USPAT; US-PGPUB	2004/05/07 16:26
-	10	(saloka.in. adams.in.) and ford.as. AND FUEL NEAR CELL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:13
-	1	"5554453".PN.	USPAT	2004/05/07 15:01
-	1	"5417051".PN.	USPAT	2004/05/07 15:01
-	0	429.ccls. and cold with start	USPAT; US-PGPUB	2004/05/07 16:26
-	0	429.ccls. and cold with start\$4	USPAT; US-PGPUB	2004/05/07 16:26
-	320	429/.ccls. and cold with start\$4	USPAT; US-PGPUB	2004/05/07 16:27
-	218	429/.ccls. and cold near start\$4	USPAT; US-PGPUB	2004/05/07 16:27
-	106	429/.ccls. and cold near start\$4 and exchanger	USPAT; US-PGPUB	2004/05/07 16:27
-	105	429/.ccls. and cold near start\$4 and exchanger with heat	USPAT; US-PGPUB	2004/05/07 16:28
-	28	429/.ccls. and cold near start\$4 and exchanger with heat and bypass	USPAT; US-PGPUB	2004/05/07 16:28
-	242	(preheat cold near start) and fuel near cell and bypass	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 14:29
-	2	("5,780,179").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:06
-	1		USPAT	2004/06/03 11:54

-	56	(preheat cold near start) and fuel near cell and bypass\$4 and 429/26	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 15:21
-	135	(preheat cold near start) and fuel near cell and bypass\$4 and heat\$3 near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 15:22
-	169	429/26 and start near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/07 12:28
-	385	429/26 and (cold preheat) earstart near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 16:05
-	27	429/26 and (cold preheat) near start near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 16:05
-	1193	heat near exchanger and fuel near cell and compressor and (cold near start hydrogen fuel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 06:50
-	1599	429/26	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 08:28
-	186	429/26 and bypass	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 14:57
-	39	429/26 and bypass and preheat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 13:04
-	2	("6306531").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 13:04
-	660	429/26 and heat near3 fuel near cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 14:58
-	120	429/26 and heat near3 fuel near cell and bypass	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 14:58
-	4	429/26 and heat near3 fuel near cell and cool near compressed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 14:59
-	5	429/26 and heat near3 fuel near cell and cool near3 compressed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 15:17

-	5	429/26 and heat near3 fuel near cell and cool near3 compressed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/04 15:17
-	251599	compress\$4 near3 (oxygen air) heat\$4 near3 hydrogen and fuel near cell and heat near exchanger	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 09:08
-	7	compress\$4 near3 (oxygen air) near4 heat\$4 near3 hydrogen and fuel near cell and heat near exchanger	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 09:45
-	657	"304673" tokugan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 09:46
-	1	"304673" and tokugan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 09:46
-	66	fuel near3 cell and ("304673" tokugan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/07 09:46



(10) (saloka.in. adams.in.) and ford.as. AND FUEL NEAR
 (1) "5554453".PN.
 (1) "5417051".PN.
 (0) 429.ccls. and cold with start
 (0) 429.ccls. and cold with start\$4
 (320) 429/.ccls. and cold with start\$4

Search DBs USPAT,US-PGPUB Plurals
 Default operator: OR Highlight all hit terms initially
 BRS term SAR term Image Text HTML

	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020009623	20020124	17	Methods and apparatus for improving the cold	429/13	429/22;		St
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020039672	20020404	12	Fuel cell system	429/22	429/23;	429/22;	Ar
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6607854	20030819	15	Three-wheel air turbocompressor for PEM	429/13	429/24;	429/25;	Rel
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020174659	20021128	13	Combined fuel cell and fuel combustion power a	60/780	429/17;	429/20;	Vi
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6536546	20030325	7	Method for shortening the starting time of CO	180/65.1	60/39.12		Roc
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6413661	20020702	11	Method for operating a combustor in a fuel cel	429/17	429/19;	429/40	al
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5928805	19990727	8	Method for operating a combustor in a fuel cel	429/17	429/25	429/17;	Cl
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5981096	19991109	5	Cover and startup gas supply system for solid	429/13	429/17;	429/25	J.
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5981096	19991109	5	Fuel cell system	429/17	429/19;	429/13;	Si
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020146606	20021010	33	Warm-up apparatus for fuel cell	429/17	429/19;	429/17;	et
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020051900	20020502	12	Fuel cell system and method for operating th	429/24	429/22;	429/17;	Ho
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6311650	20011106	6	Vehicle having a driving internal-combus	123/3	429/26;	429/25	et
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5366821	19941122	13	Constant voltage fuel cell with improved reac	429/21	429/26;	429/24;	Lat
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3976506	19760824	11	Pressurized fuel cell power plant with air by	429/17	123/1A;	429/13;	Me
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6682839	20040127	22	Method and apparatus for controlling the tem	429/24	123/25R;	429/22;	et
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6103410	20000815	6	Start up of frozen fuel cell	429/13	429/19	429/17;	Lat
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4473622	19840925	8	Rapid starting methanol reactor system	429/19	429/22;	429/19	Wi
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6068941	20000530	4	Start up of cold fuel cell	429/13	429/26;	429/22;	P.
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020055025	20020509	8	Cogeneration system for a fuel cell	429/13	429/22;	429/40;	Fu
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030077497	20030424	8	Waste heat recovery means for fuel cell pow	429/26	201/15;	201/37;	et
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030072984	20030417	6	System and method for rapid preheating of an	429/26	429/14;	429/17;	Ch
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030019363	20030130	14	Gas-liquid separator for fuel cell system	96/189	429/17;	417/65;	J.
23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020119352	20020829	9	Fuel cell installation and associated operatin	429/13	429/17;	429/17;	Fu
24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020055026	20020509	8	Cogeneration system for a fuel cell	429/13	429/20;	429/32	et
25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20010055707	20011227	24	Apparatus for improving the cold starting capab	429/30	429/13;	429/22;	Ba
26	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6436561	20020820	20	Methanol tailgas combustor control metho	429/12	429/20;	429/22;	et
27	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6306531	20011023	17	Combustor air flow control method for fuel	429/19	429/13;	429/22;	al
28	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6007930	19991228	5	Method for initiating a fuel cell	429/13	429/26;	429/17;	Ro
29	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6406805	20020618	5	Method for storing purged hydrogen from a	429/13	429/30	429/22	al
30	<input type="checkbox"/>	<input checked="" type="checkbox"/>	GB 2355578	20010425	12	Method for storing purged hydrogen from a		429/24	429/13;	Ja
31	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030175563	20030918	11	Fuel cell facility and method for operating a	429/19	429/22;	429/19;	et
32	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030093949	20030522	15	Staged lean combustion for rapid start of a fu	48/127.9	429/26	429/22;	J.
								422/187;	422/190;	Ad



(10) (saloka.in. adams.in.) and ford.as. AND FUEL NEAR
 (1) "5554453".PN.
 (1) "5417051".PN.
 (0) 429.ccls. and cold with start
 (0) 429.ccls. and cold with start\$4
 (320) 429/.ccls. and cold with start\$4

Search DBs Browse Queue Clean
 DBs: USPAT, US-PGPUB, Plurals
 Default operator: OR Highlight all hit terms initially
 BRS form ISAR form Image Text HTML

	U	1	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	
27	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6007930 A	19991228	5	Method for initiating a fuel cell	429/13	429/30		Ad:
28	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6406805 B1	20020618	5	Method for storing purged hydrogen from a	429/13	429/22		Ja
29	<input type="checkbox"/>	<input checked="" type="checkbox"/>	GB 2355578 A	20010425	12	Method for storing purged hydrogen from a		24/678		et
30	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030175563	20030918	11	Fuel cell facility and method for operating a	429/19	429/17; 429/22;		JAI
31	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030093949	20030522	15	Staged lean combustion for rapid start of a fu	48/127.9	422/187; 422/190;		et
32	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030064262	20030403	24	Method and apparatus for controlling a combi	429/24	429/26		Br
33	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030039871	20030227	6	Method of controlling a fuel cell system	429/17	429/24		Go
34	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030008184	20030109	24	Method and apparatus for controlling a combi	429/13	429/24; 429/26		et
35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020182467	20021205	25	Method and apparatus for controlling a combi	429/26	429/13; 429/24		Ba
36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20010028972	20011011	4	Apparatus for recovering water for an	429/26	429/13; 429/24;		W.
37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6395414 B1	20020528	14	Staged venting of fuel cell system during rapi	429/17	429/13; 429/19;		Au
38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6187066 B1	20010213	10	Central heating device for a gas-generating sy	48/127.9	422/198; 48/61		et
39	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6170264 B1	20010109	33	Hydrocarbon combustion power generation system	60/671	60/678; 60/679		Cl:
40	<input type="checkbox"/>	<input checked="" type="checkbox"/>	JP 2003208914	20030725	6	SYSTEM AND METHOD FOR RAPIDLY PREHEATING FUEL				J.
41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	JP 2001202981	20010727	8	SYSTEM AND METHOD FOR FUEL CELL OPERATION CON				Be
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	DE 10137592 A1	20030227	6	System for generating gas in fuel cell facili				Vi
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6635375 B	20031021	9	Solid oxide fuel cell comprises cathode separ				al
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	CA 2379363 A	20020928	59	Electric power generation system opera				GE
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030113601	20030619	18	Fuel cell system controller	429/23	429/17; 429/19;	429/26	al
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5316870 A	19940531	11	Heat supply and electric power-generati	429/24	429/26	429/26	ATI
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5082752 A	19920121	16	Power generation system using molten carbonate	429/20	429/16; 429/26	429/26	Ed
48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020058171	20020516	6	Fuel cell system and method for starting a f	429/26	429/17; 429/20	429/26	et
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020164509	20021107	10	Electronic by-pass control of gas around t	429/22	429/26	429/26	Oh
50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020164508	20021107	10	Electronic by-pass of fuel cell cathode gas t	429/22	429/26	429/26	Ko
51	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020006537	20020117	16	Gas-supplying apparatus, gas-supplyin	429/26	429/13; 429/24	429/26	et
52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	KR 2002092292	20021211	1	Fuel cell system				CH
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020182465	20021205	17	Vaporizer temperature control in fuel cell po	429/24	429/26		Ok
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20010051290	20011213	18	Fuel cell system, controller thereof and	429/9	429/13; 429/19;		Ka
55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20040079564	20040429	168	Moving object with fuel cells incorporated ther	180/65.2			Ta
56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6672415 B1	20040106	155	Moving object with fuel cells incorporated ther	180/65.2	180/65.3; 701/22		Ta
57	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030049504	20030313	9	Fuel cell energy management system for c	429/24	429/13		Wh